



**Utah's Vital Statistics
Abortions
2004**

Utah Department of Health
Center for Health Data





Utah's Vital Statistics

Abortions

2004

April 14, 2006
Technical Report No. 243

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by:
The Statistical Products Section
in the
Office of Vital Records and Statistics

Jeffrey D. Duncan, M.S.
Director

Staff Contributors:
Marie Aschlmann
Mylitta Barrett
Cynthia Robison

Utah Department of Health
Center for Health Data

OFFICE OF VITAL RECORDS AND STATISTICS
PO BOX 141012
SALT LAKE CITY UT 84114-1012

Located in the Cannon Health Building at 288 N 1460 W

Website: health.utah.gov/vitalrecords
Email: vrequest@utah.gov
Phone: (801) 538-6843
Fax: (801) 538-7012

This information can be made available
in alternative formats upon request.

PREFACE

This 2004 report is the twenty-seventh in a series on legally induced abortions in Utah. Previous reports were for the years 1974-1975, 1975-1977, 1978-1980, and each year from 1981-2001, and years 2002-2003 were combined in one report.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

The most recent series of Utah's Vital Statistics reports no longer include abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2002," Vol. 54, No. SS-7, Atlanta, Georgia, November 25, 2005. The website for the Centers for Disease Control is <http://www.cdc.gov>. Use the keyword "abortion 2002" to search for the Abortion Surveillance report at www.cdc.gov/mmwr/preview/mmwrhtml/ss5407a1.htm.

TABLE OF CONTENTS

Page	
ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix

List of Summary Tables

Page	
S-3	Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980-2004
S-3	Table 2. Abortions occurring in Utah by state of residence: 2004
S-4	Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2004
S-5	Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980-2004
S-6	Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990-2004
S-6	Table 6. Age-specific abortion rates, residents: Utah, 1990-2004

List of Reference Tables

Page	
R-3	Table R1. Abortions by health district, county of residence of woman and health district and county of occurrence: Utah, 2004
R-4	Table R2. Abortions by health district, county of residence and age of woman: Utah, 2004
R-5	Table R3. Abortions by health district, county of residence and month of occurrence: Utah, 2004
R-6	Table R4. Abortions by age and marital status of woman, residents: Utah, 2004
R-6	Table R5. Abortions by weeks gestation and marital status of woman, residents: Utah, 2004
R-6	Table R6. Abortions by age and education of woman, residents: Utah, 2004
R-7	Table R7. Abortions by age and race of woman, residents: Utah, 2004
R-7	Table R8. Abortions by weeks gestation and race of woman, residents: Utah, 2004
R-8	Table R9. Abortions by age of woman and number of prior live births, residents: Utah, 2004
R-8	Table R10. Abortions by age of woman and number of prior abortions, residents: Utah, 2004

(List of Reference Tables continued)

- R-8 Table R11. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2004
- R-9 Table R12. Abortions by age of woman and reason for termination, residents: Utah, 2004
- R-9 Table R13. Abortions by weeks gestation and reason for termination, residents: Utah, 2004
- R-10 Table R14. Abortions by age of woman and weeks gestation, residents: Utah, 2004
- R-11 Table R15. Abortions by age of woman and method of termination, residents: Utah, 2004
- R-11 Table R16. Abortions by weeks gestation and method of termination, residents: Utah, 2004
- R-12 Table R17. Abortions by age of woman and mention of any complications, residents: Utah, 2004
- R-12 Table R18. Abortions by age of woman and omission to use contraceptive, residents: Utah, 2004
- R-12 Table R19. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2004
- R-13 Table R20. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2004

(List of Reference Tables continued)

- R-13 Table 21. Abortions by marital status of woman and method of contraceptive, residents: Utah, 2004
- R-14 Table R22. Abortions by number of prior abortions and prior live births and method of contraceptive, residents: Utah, 2004
- R-14 Table R23. Abortions by education of woman and method of contraceptive, residents: Utah, 2004

Technical Appendix

- T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2004 Summary Tables:

Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980-2004

Year	Estimated population females ages 15-44 ¹	Resident births	Abortions			
			Occurrence number	Residents number	Rate ²	Ratio ³
1980	339,799	41,786	4,086	3,821	11.2	91.4
1981	351,700	41,286	3,842	3,576	10.2	86.6
1982	361,040	41,537	3,987	3,806	10.5	91.6
1983	368,973	39,441	3,775	3,587	9.7	90.9
1984	374,597	38,286	4,022	3,877	10.3	101.3
1985	378,827	37,441	4,129	3,928	10.4	104.9
1986	382,834	36,383	4,450	4,157	10.9	114.3
1987	385,698	35,285	4,732	4,191	10.9	118.8
1988	387,881	36,040	4,732	4,149	10.7	115.1
1989	390,989	35,558	4,950	4,305	11.0	121.1
1990	394,297	36,253	4,796	4,159	10.5	114.7
1991	410,106	36,019	4,213	3,759	9.2	104.4
1992	423,145	37,198	3,941	3,525	8.3	94.8
1993	436,287	37,048	3,945	3,615	8.3	97.6
1994	451,177	38,271	3,610	3,304	7.3	86.3
1995	463,847	39,554	3,705	3,292	7.1	83.2
1996	475,709	42,056	3,639	3,293	6.9	78.3
1997	486,592	43,009	3,408	3,140	6.5	73.0
1998	492,370	45,128	3,487	3,237	6.6	71.7
1999	498,067	46,243	3,381	3,160	6.3	68.3
2000	528,738	47,331	3,509	3,279	6.2	69.3
2001	539,202	47,915	3,594	3,372	6.3	70.4
2002	546,951	49,140	3,524	3,300	6.0	67.2
2003	554,908	49,834	3,576	3,338	6.0	67.0
2004	563,115	50,653	3,665	3,379	6.0	66.7

¹Population projections/estimates are revised as historical data becomes available and the rates may not agree with previous reports.

²Rates are per 1,000 females 15 to 44 years of age.

³Ratios are per 1,000 live births.

Source for Utah female population 15-44 years of age for years 2000-2004: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; 2005 Baseline Economic and Demographic Detailed Tables: "Population Projections for both sexes by single year of age: State of Utah 2000-2050; website:
["http://www.governor.utah.gov/dea/Projections/05Baseline/populationbyareaandage.xls."](http://www.governor.utah.gov/dea/Projections/05Baseline/populationbyareaandage.xls)

Population source for data years 1980 and 1990: Demographic and Economic Analysis section, Govenor's Office of Planning and Budget; Detailed Table: State of Utah female population by single year of age, 1980-2030; 2002 baseline demographic and economic projections.

Source for Utah female population 15-44 years of age for years prior to 2000 and not including 1980 and 1990 are prior projections by the Demographic and Economic Analysis section of the Governor's Office of Planning and Budget.

Table 2. Abortions occurring in Utah by state of residence: 2004

State of Residence	Frequency	Percent
Total	3,665	100.0
Arizona	3	0.1
California	3	0.1
Colorado	3	0.1
Idaho	109	3.0
Indiana	1	0.0
Minnesota	1	0.0
Nevada	23	0.6
New York	1	0.0
North Carolina	1	0.0
Texas	2	0.1
Utah	3,379	92.2
Washington	1	0.0
West Virginia	1	0.0
Wyoming	136	3.7
Not stated	1	0.0

Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2004

District and county of residence	2004		Abortion ratios by year										
	Births	Abor- tions	2004	1990	1995	1996	1997	1998	1999	2000	2001	2002	2003
Total	50,653	3,379	66.7	114.7	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2	67.0
Bear River	3,328	81	24.3	60.9	37.3	33.1	36.7	38.9	35.5	32.6	29.6	32.0	32.3
Box Elder	818	19	23.2	29.4	21.5	28.6	26.4	44.3	33.2	27.1	34.0	39.8	29.4
Cache	2,476	62	25.0	74.7	43.3	35.1	40.9	37.3	36.7	35.0	28.3	29.6	33.4
Rich	34	0	--	--	--	--	--	--	--	--	--	--	--
Central Utah	1,197	21	17.5	36.7	29.5	24.8	14.7	20.4	18.1	23.2	21.2	26.1	23.1
Juab	193	4	--	--	--	--	--	--	--	--	--	--	--
Millard	198	3	--	30.4	51.0	--	--	--	--	38.3	40.8	--	--
Piute	24	1	--	--	--	--	--	--	--	--	--	--	--
Sanpete	399	6	--	26.9	21.9	21.2	--	19.0	27.3	19.1	--	37.9	35.5
Sevier	342	5	--	44.0	33.7	31.7	--	--	18.0	24.0	--	--	--
Wayne	41	2	--	--	--	--	--	--	--	--	--	--	--
Davis	5,590	288	51.5	85.5	62.9	62.1	56.7	56.6	50.8	58.1	52.4	47.5	57.1
Salt Lake	18,383	2,190	119.1	181.0	139.9	129.0	125.1	122.6	115.3	117.2	126.4	116.5	117.5
Southeastern	842	30	35.6	87.6	44.4	36.4	35.6	42.1	22.2	25.7	14.7	32.3	41.9
Carbon	321	18	56.1	128.0	77.7	75.9	64.6	87.0	55.6	46.5	30.5	63.3	82.8
Emery	166	6	--	--	--	--	--	--	--	--	--	--	--
Grand	110	4	--	183.5	70.7	--	--	--	--	--	--	--	--
San Juan	245	2	--	57.6	--	--	--	--	--	--	--	--	--
Southwest	3,415	13	3.8	12.7	5.1	6.8	2.7	2.5	--	3.9	--	--	--
Beaver	132	1	--	--	--	--	--	--	--	--	--	--	--
Garfield	71	2	--	--	--	--	--	--	--	--	--	--	--
Iron	847	4	--	--	12.9	--	--	--	--	--	--	--	--
Kane	105	0	--	--	--	--	--	--	--	--	--	--	--
Washington	2,260	6	--	--	--	--	--	--	--	--	--	--	--
Summit	583	95	163.0	349.4	282.7	211.2	231.3	237.2	201.8	190.3	165.4	173.1	150.0
Tooele	1,055	67	63.5	94.9	94.6	83.6	59.6	67.6	60.8	49.2	58.2	73.1	66.4
TriCounty	880	30	34.1	72.5	29.1	31.8	22.6	22.5	27.2	33.2	22.8	30.0	27.1
Daggett	8	1	--	--	--	--	--	--	--	--	--	--	--
Duchesne	308	9	29.2	35.3	--	27.7	--	35.6	33.8	24.8	29.2	34.5	--
Uintah	564	20	35.5	92.4	38.8	32.3	21.8	--	23.6	39.6	19.8	25.7	36.7
Utah County	10,954	246	22.5	32.4	23.6	30.1	21.4	22.0	24.8	23.7	20.3	22.7	22.6
Wasatch	371	26	70.1	105.0	41.5	34.6	45.6	55.8	44.1	71.0	66.2	68.7	35.9
Weber-Morgan	4,055	292	72.0	129.6	86.2	78.9	79.1	70.3	81.3	68.4	72.0	69.8	68.0
Morgan	113	3	--	--	96.8	--	--	--	--	--	--	--	--
Weber	3,942	289	73.3	132.5	85.9	79.9	80.1	71.1	83.2	69.3	73.2	70.9	69.1

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30.
Births for data year 1995 were updated.

Table 4a. Abortions, live births and ratios by marital status, residents: Utah, 1980-2004

Marital status	Year									
	1980	1985	1986	1987	1988	1989	1990	1991	1992	1993 ¹
Total*										
Induced abortions	3,821	3,928	4,157	4,191	4,149	4,305	4,159	3,759	3,525	3,615
Live births	41,786	37,441	36,383	35,285	36,040	35,558	36,253	36,019	37,198	37,048
Ratio per 1,000 live births	91.4	104.9	114.3	118.8	115.1	121.1	114.7	104.4	94.8	97.6
Married**										
Induced abortions	975	846	865	816	740	844	774	853	914	920
Live births	39,181	34,366	33,092	31,372	31,822	31,056	31,343	30,823	31,567	31,325
Ratio per 1,000 live births	24.9	24.6	26.1	26.0	23.3	27.2	24.7	27.7	29.0	29.4
Unmarried***										
Induced abortions	2,820	3,075	3,291	3,303	3,317	3,443	3,351	2,893	2,598	2,683
Live births	2,605	3,259	3,567	3,913	4,218	4,502	4,886	5,196	5,631	5,721
Ratio per 1,000 live births	1,082.5	943.5	922.6	844.1	786.4	764.8	682.5	556.8	461.4	468.8

Table 4b. Abortions, live births and ratios by marital status, residents: Utah, 1980-2004

Marital status	Year										
	1994	1995 ¹	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total*											
Induced abortions	3,304	3,292	3,293	3,140	3,237	3,160	3,279	3,372	3,300	3,338	3,379
Live births	38,271	39,554	42,056	43,009	45,128	46,243	47,331	47,915	49,140	49,834	50,653
Ratio per 1,000 live births	86.3	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2	67.0	66.7
Married**											
Induced abortions	862	786	754	794	860	858	809	844	756	771	795
Live births	32,269	33,338	35,231	35,864	37,388	38,544	39,135	39,593	40,671	41,254	41,822
Ratio per 1,000 live births	26.7	23.6	21.4	22.1	23.0	22.3	20.7	21.4	18.6	18.7	19.0
Unmarried***											
Induced abortions	2,423	2,494	2,515	2,329	2,357	2,284	2,455	2,348	2,268	2,143	2,270
Live births	6,001	6,215	6,798	7,121	7,722	7,699	8,175	8,322	8,469	8,580	8,831
Ratio per 1,000 live births	403.7	401.2	368.5	326.0	304.5	296.7	300.3	284.8	270.0	251.9	257.0

¹Abortions ratios for data years 1993 and 1995 may change slightly because birth data for these years are updated. These updates can be viewed at the web site for the Office of Vital Records and Statistics (<http://www.health.state.ut.us/bvr/html/tables.html>)

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced and those who have never married.

**Table 5. Population for females 15 to 44 years of age, residents:
Utah, 1990-2004**

Year	Total all ages	Five year age groups (15 to 44 years of age)					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	394,297	76,503	69,220	67,851	68,922	61,502	50,299
1991	410,106	77,937	75,023	66,780	71,169	64,499	54,698
1992	423,145	82,450	78,372	66,298	72,135	67,539	56,351
1993	436,287	86,805	81,918	65,958	73,100	69,704	58,802
1994	451,177	91,398	84,491	67,930	73,644	71,809	61,905
1995	463,847	95,756	85,758	71,260	72,906	73,475	64,692
1996	475,709	99,538	86,578	75,991	71,062	75,233	67,307
1997	486,592	100,155	91,304	78,550	70,283	76,025	70,275
1998	492,370	100,343	94,787	80,276	68,774	76,315	71,875
1999	498,067	99,667	98,698	81,031	69,397	75,965	73,309
2000	528,738	106,983	114,336	86,793	72,647	73,860	74,119
2001	539,202	102,184	120,058	91,780	76,574	73,008	75,598
2002	546,951	98,664	121,681	98,005	79,989	72,265	76,347
2003	554,908	97,241	120,138	105,139	83,479	72,069	76,842
2004	563,115	96,883	116,521	112,616	87,010	73,098	76,987

Source for Utah female population 15-44 years of age for years 2000-2004: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; Detailed Demographic and Economic Tables, baseline 2005, "Population by area and single year of age: State of Utah 2000-2050"; website: "<http://governor.utah.gov/dea/LongTermProjections.html>".

Population source for 1990 through 1999 are from earlier baseline projections.

Table 6. Age-specific abortion rates, residents: Utah, 1990-2004

Year	Total all ages ¹	Age of woman ¹					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1991	9.2	10.7	16.8	11.6	7.1	4.0	1.3
1992	8.3	8.6	15.3	11.5	6.5	4.0	1.1
1993	8.3	8.3	14.9	12.0	6.5	3.9	1.2
1994	7.3	7.1	12.6	10.6	6.5	3.8	1.3
1995	7.1	6.3	12.3	11.0	6.6	3.7	1.2
1996	6.9	6.6	12.3	9.7	6.9	3.2	1.3
1997	6.5	5.7	9.4	8.2	6.0	3.5	1.2
1998	6.6	5.8	10.7	9.1	7.1	3.4	1.2
1999	6.3	5.8	10.6	8.9	6.2	3.4	1.4
2000	6.2	5.4	10.2	8.3	6.0	3.4	1.1
2001	6.3	5.3	9.6	8.0	6.4	3.8	1.2
2002	6.0	5.1	9.4	7.9	5.7	3.8	1.2
2003	6.0	5.4	9.3	7.3	5.9	3.9	1.2
2004	6.0	5.2	10.2	6.7	5.7	3.9	1.3

¹Rates are per 1,000 females 15 to 44 years of age. The abortion component of the rate totals include women less than 15 years of age, 45 years and older and age unknown.

Population source for 1990 through 1999 are from earlier baseline projections.

Source for Utah female population 15-44 years of age for 1980, 1990 and 2000-2003: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; Population Projections Detailed Tables: "State of Utah Population by Sex and Single Year of Age: 1980, 1990, and 2000-2030"; Website, "<http://govenor.utah.gov/dea/LongTermProjections.html>".

2004 Reference Tables:

Abortions

Table R1. Abortion by health district and county of residence of woman and health district and county of occurrence: Utah, 2004

District and County	Residence	Occurrence
Total	3,379	3,377
Bear River	81	80
Box Elder	19	19
Cache	62	61
Rich	0	0
Central Utah	21	21
Juab	4	4
Millard	3	3
Piute	1	1
Sanpete	6	6
Sevier	5	5
Wayne	2	2
Davis	288	288
Salt Lake	2,190	2,189
Southeastern	30	30
Carbon	18	18
Emery	6	6
Grand	4	4
San Juan	2	2
Southwest	13	13
Beaver	1	1
Garfield	2	2
Iron	4	4
Kane	0	0
Washington	6	6
Summit	95	95
Tooele	67	67
TriCounty	30	30
Daggett	1	1
Duchesne	9	9
Uintah	20	20
Utah County	246	246
Wasatch	26	26
Weber-Morgan	292	292
Morgan	3	3
Weber	289	289

Table R2. Abortions by health district, county of residence and age of woman: Utah, 2004

District and County	Total	Under 15	Age of Woman										Un- known
			15 to 19			20 to 24	25 to 29	30 to 34	35 to 39	40 to 44			
Total	3,379	10	507	148	359	1,187	755	495	284	98	9	34	
Bear River	81	0	16	3	13	29	19	10	4	2	1	0	
Box Elder	19	0	6	2	4	5	3	2	2	1	0	0	
Cache	62	0	10	1	9	24	16	8	2	1	1	0	
Rich	0	0	0	0	0	0	0	0	0	0	0	0	
Central Utah	21	0	4	2	2	6	5	4	2	0	0	0	
Juab	4	0	2	1	1	0	1	0	1	0	0	0	
Millard	3	0	0	0	0	1	1	1	0	0	0	0	
Piute	1	0	0	0	--	1	--	--	0	0	0	0	
Sanpete	6	0	1	0	1	2	0	2	1	0	0	0	
Sevier	5	0	1	1	0	2	2	0	0	0	0	0	
Wayne	2	0	0	0	0	0	1	1	0	0	0	0	
Davis	288	0	58	13	45	103	66	28	23	10	0	0	
Salt Lake	2,190	7	306	92	214	767	505	331	184	54	8	28	
Southeastern	30	0	2	2	0	10	5	8	4	1	0	0	
Carbon	18	0	1	1	0	7	3	4	3	0	0	0	
Emery	6	0	0	0	0	3	1	0	1	0	0	0	
Grand	4	0	0	0	0	0	1	3	0	0	0	0	
San Juan	2	0	1	1	0	0	0	1	0	0	0	0	
Southwest	13	0	3	0	3	5	1	2	2	0	0	0	
Beaver	1	0	0	0	0	0	0	0	1	0	0	0	
Garfield	2	0	0	0	0	1	0	0	1	0	0	0	
Iron	4	0	3	0	3	0	0	1	0	0	0	0	
Kane	0	0	0	0	0	0	0	0	0	0	0	0	
Washington	6	0	0	0	0	4	1	1	0	0	0	0	
Summit	95	0	9	6	3	23	20	21	15	7	0	0	
Tooele	67	0	9	3	6	21	15	15	4	3	0	0	
TriCounty	30	1	7	4	3	11	6	3	2	0	0	0	
Daggett	1	0	--	--	--	0	0	--	--	0	0	0	
Duchesne	9	1	3	1	2	2	1	1	1	0	0	0	
Uintah	20	0	3	3	0	9	5	2	1	0	0	0	
Utah County	246	1	36	7	29	100	58	30	13	6	0	2	
Wasatch	26	0	4	1	3	12	3	1	4	1	0	1	
Weber-Morgan	292	1	53	15	38	100	52	42	27	14	0	3	
Morgan	3	0	1	0	1	2	0	0	0	0	0	0	
Weber	289	1	52	15	37	98	52	42	27	14	0	3	

Numbers are not shown when the age-group's population is less than 30.

Table R3. Abortions by health district, county of residence and month of occurrence: Utah, 2004

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	3,379	337	324	327	298	266	239	305	232	293	238	259	261
Bear River	81	6	11	7	4	4	6	10	9	11	3	3	7
Box Elder	19	1	2	0	1	1	1	1	3	5	1	0	3
Cache	62	5	9	7	3	3	5	9	6	6	2	3	4
Rich	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	21	1	1	3	2	2	1	1	1	0	4	2	3
Juab	4	0	0	0	0	1	0	1	0	0	2	0	0
Millard	3	0	0	1	0	0	0	0	1	0	1	0	0
Piute	1	0	0	0	0	0	0	0	0	0	0	0	1
Sanpete	6	0	1	1	1	0	0	0	0	0	0	1	2
Sevier	5	1	0	0	1	0	1	0	0	0	1	1	0
Wayne	2	0	0	1	0	1	0	0	0	0	0	0	0
Davis	288	29	23	30	30	19	26	34	16	20	21	18	22
Salt Lake	2,190	214	209	214	195	176	159	201	140	204	153	177	148
Southeastern	30	4	4	4	4	3	2	0	2	1	2	0	4
Carbon	18	4	1	1	2	2	2	0	1	1	2	0	2
Emery	6	0	3	1	1	0	0	0	0	0	0	0	1
Grand	4	0	0	1	0	1	0	0	1	0	0	0	1
San Juan	2	0	0	1	1	0	0	0	0	0	0	0	0
Southwest	13	3	0	1	0	1	0	1	2	3	0	2	0
Beaver	1	1	0	0	0	0	0	0	0	0	0	0	0
Garfield	2	0	0	1	0	0	0	0	0	1	0	0	0
Iron	4	1	0	0	0	1	0	0	1	1	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	6	1	0	0	0	0	0	1	1	1	0	2	0
Summit	95	9	13	6	7	6	6	12	4	4	11	3	14
Tooele	67	8	9	7	3	8	5	3	6	3	6	2	7
TriCounty	30	4	4	2	4	2	3	3	1	1	2	3	1
Daggett	1	0	0	0	0	0	0	1	0	0	0	0	0
Duchesne	9	3	1	0	0	2	0	1	0	1	0	1	0
Uintah	20	1	3	2	4	0	3	1	1	0	2	2	1
Utah County	246	29	18	20	23	16	11	19	22	18	20	22	28
Wasatch	26	1	3	3	1	1	2	2	1	5	3	1	3
Weber-Morgan	292	29	29	30	25	28	18	19	28	23	13	26	24
Morgan	3	0	0	0	0	0	0	1	0	2	0	0	0
Weber	289	29	29	30	25	28	18	18	28	21	13	26	24

Table R4. Abortions by age and marital status of woman, residents: Utah, 2004

Age	Total	Marital Status of Woman					Un-known
		Never Married	Married	Widowed	Divorced	Separated	
Total	3,379	1,884	632	20	366	163	314
Under 15	10	8	0	0	0	0	2
Total 15 to 19	507	442	24	1	1	3	36
15-17	148	137	3	0	0	2	6
18-19	359	305	21	1	1	1	30
20-24	1,187	813	139	5	68	41	121
25-29	755	347	173	8	111	59	57
30-34	495	162	148	3	97	35	50
35-39	284	76	106	2	60	14	26
40-44	98	21	35	0	20	9	13
45 and over	9	0	2	1	4	0	2
Unknown	34	15	5	0	5	2	7

Table R5. Abortions by weeks gestation and marital status of woman, residents: Utah, 2004

Weeks gestation ¹	Total	Marital Status of Woman					Un-known
		Never Married	Married	Widowed	Divorced	Separated	
Total	3,379	1,884	632	20	366	163	314
Under 5	59	22	15	0	4	3	15
5-6	803	420	166	8	93	39	77
7-8	1,348	759	263	8	152	66	100
9-10	566	339	85	2	69	26	45
11-12	220	141	34	0	22	11	12
13-14	172	103	28	0	18	12	11
15-20	192	93	35	2	8	5	49
21 and over	6	0	3	0	0	0	3
Unknown	13	7	3	0	0	1	2

¹The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R6. Abortions by age and education of woman, residents: Utah, 2004

Age	Total	Education of Woman			
		Under 12 Years	High School	Over 12 Years	Unknown
Total	3,379	437	1,468	1,105	369
Under 15	10	7	0	1	2
Total 15 to 19	507	147	249	65	46
15-17	148	106	30	0	12
18-19	359	41	219	65	34
20-24	1,187	131	563	362	131
25-29	755	80	296	290	89
30-34	495	40	195	206	54
35-39	284	20	111	121	32
40-44	98	4	40	46	8
45 and over	9	0	2	5	2
Unknown	34	8	12	9	5

Table R7. Abortions by age and race of woman, residents: Utah, 2004

Age	Race of Woman						
	Total	White	Black	Asian and Pacific Islander	Native American	Other	Un- known
Total	3,379	2,285	79	158	36	157	664
Under 15	10	6	0	1	1	0	2
Total 15 to 19	507	366	18	13	5	22	83
15-17	148	108	2	0	3	6	29
18-19	359	258	16	13	2	16	54
20-24	1,187	809	32	46	10	53	237
25-29	755	511	11	35	9	37	152
30-34	495	317	11	26	7	25	109
35-39	284	185	5	27	2	12	53
40-44	98	68	2	7	1	5	15
45 and over	9	6	0	1	0	0	2
Unknown	34	17	0	2	1	3	11

Table R8. Abortions by weeks gestation and race of woman, residents: Utah, 2004

Weeks gestation ¹	Race of Woman						
	Total	White	Black	Asian and Pacific Islander	Native American	Other	Un- known
Total	3,379	2,285	79	158	36	157	664
Under 5	59	33	1	4	1	3	17
5-6	803	536	16	34	4	41	172
7-8	1,348	929	29	72	15	63	240
9-10	566	392	20	23	6	26	99
11-12	220	155	7	8	2	14	34
13-14	172	117	4	8	5	6	32
15-20	192	114	2	9	2	4	61
21 and over	6	3	0	0	0	0	3
Unknown	13	6	0	0	1	0	6

¹The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R9. Abortions by age of woman and number of prior live births, residents: Utah, 2004

Age	Prior Live Births							
	Total	None	One	Two	Three	Four	Five or More	Unknown
Total	3,379	1,343	779	645	301	126	50	135
Under 15	10	10	0	0	0	0	0	0
Total 15 to 19	507	412	67	17	3	0	0	8
15-17	148	131	14	2	0	0	0	1
18-19	359	281	53	15	3	0	0	7
20-24	1,187	598	313	171	46	10	1	48
25-29	755	184	209	189	85	39	13	36
30-34	495	84	113	148	76	42	13	19
35-39	284	35	47	82	62	30	13	15
40-44	98	10	18	28	23	4	8	7
45 and over	9	0	1	3	3	0	2	0
Unknown	34	10	11	7	3	1	0	2

Table R10. Abortions by age of woman and number of prior abortions, residents: Utah, 2004

Age	Prior Abortions							
	Total	None	One	Two	Three	Four	Five or More	Unknown
Total	3,379	2,287	712	196	62	16	19	87
Under 15	10	10	0	0	0	0	0	0
Total 15 to 19	507	445	52	3	0	0	0	7
15-17	148	135	12	0	0	0	0	1
18-19	359	310	40	3	0	0	0	6
20-24	1,187	868	231	46	8	5	0	29
25-29	755	464	186	61	17	1	6	20
30-34	495	269	125	51	19	7	6	18
35-39	284	155	76	27	11	3	6	6
40-44	98	51	31	7	3	0	1	5
45 and over	9	4	3	0	2	0	0	0
Unknown	34	21	8	1	2	0	0	2

Table R11. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2004

Weeks gestation ¹	Prior Abortions							
	Total	None	One	Two	Three	Four	Five or More	Unknown
Total	3,379	2,287	712	196	62	16	19	87
Under 5	59	39	15	2	1	1	0	1
5-6	803	546	152	60	13	3	6	23
7-8	1,348	928	290	69	23	5	8	25
9-10	566	381	113	39	10	3	3	17
11-12	220	140	62	11	4	1	0	2
13-14	172	123	26	9	8	1	2	3
15-20	192	117	51	5	3	2	0	14
21 and over	6	4	1	0	0	0	0	1
Unknown	13	9	2	1	0	0	0	1

¹The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R12. Abortions by age of woman and reason for termination, residents: Utah, 2004

Age	Total	Reason for Termination									
		Maternal			Fetal						
		Life Endangered	Thera- peutic	Fetal Malform- ation	HIV Positive	Rape	Incest	Elective	Other		
Total	3,379	12	3,327	11	0	4	0	17	0	8	
Under 15	10	0	10	0	0	0	0	0	0	0	
Total 15 to 19	507	0	501	2	0	1	0	2	0	1	
15-17	148	0	147	0	0	1	0	0	0	0	
18-19	359	0	354	2	0	0	0	2	0	1	
20-24	1,187	5	1,170	2	0	1	0	7	0	2	
25-29	755	3	744	3	0	1	0	3	0	1	
30-34	495	2	487	0	0	0	0	3	0	3	
35-39	284	2	276	4	0	0	0	2	0	0	
40-44	98	0	97	0	0	0	0	0	0	1	
45 and over	9	0	9	0	0	0	0	0	0	0	
Unknown	34	0	33	0	0	1	0	0	0	0	

Table R13. Abortions by weeks gestation and reason for termination, residents: Utah, 2004

Weeks gestation ¹	Total	Reason for Termination									
		Maternal			Fetal						
		Life Endangered	Thera- peutic	Fetal Malform- ation	HIV Positive	Rape	Incest	Elective	Other		
Total	3,379	12	3,327	11	0	4	0	17	0	8	
Under 5	59	0	59	0	0	0	0	0	0	0	
5-6	803	1	795	0	0	1	0	4	0	2	
7-8	1,348	3	1,335	0	0	1	0	8	0	1	
9-10	566	3	555	1	0	1	0	5	0	1	
11-12	220	1	218	0	0	0	0	0	0	1	
13-14	172	1	171	0	0	0	0	0	0	0	
15-20	192	3	179	8	0	1	0	0	0	1	
21 and over	6	0	3	2	0	0	0	0	0	1	
Unknown	13	0	12	0	0	0	0	0	0	1	

¹The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and weeks gestation, residents: Utah, 2004

Age	Total	Weeks Gestation ¹								21 and over	Un-known
		Under 5	5-6	7-8	9-10	11-12	13-14	15-20			
Total	3,379	59	803	1,348	566	220	172	192	6	13	
Under 15	10	0	2	6	2	0	0	0	0	0	
Total 15 to 19	507	7	93	192	102	38	44	28	1	2	
15-17	148	1	15	62	33	16	13	6	0	2	
18-19	359	6	78	130	69	22	31	22	1	0	
20-24	1,187	17	268	459	209	89	66	74	1	4	
25-29	755	16	207	308	111	44	28	35	2	4	
30-34	495	7	125	221	68	23	20	27	2	2	
35-39	284	6	70	113	47	20	9	19	0	0	
40-44	98	4	29	38	19	4	1	3	0	0	
45 and over	9	0	3	3	0	0	2	1	0	0	
Unknown	34	2	6	8	8	2	2	5	0	1	

¹The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R15. Abortions by age of woman and method of termination, residents: Utah, 2004

Age	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Intra- Uterine Instillation	Hyster- ectomy	Other	Un- known
Total	3,379	73	2,325	41	944	0	0	0	1
Under 15	10	0	8	0	2	0	0	0	0
Total 15 to 19	507	13	353	4	137	0	0	0	0
15-17	148	5	112	2	29	0	0	0	0
18-19	359	8	241	2	108	0	0	0	0
20-24	1,187	28	802	12	348	0	0	0	0
25-29	755	17	495	10	234	0	0	0	0
30-34	495	8	348	11	129	0	0	0	0
35-39	284	5	219	2	57	0	0	0	1
40-44	98	1	69	1	27	0	0	0	0
45 and over	9	0	6	0	3	0	0	0	0
Unknown	34	1	25	1	7	0	0	0	0

The totals do not add because more than one choice is possible for each number in the total.

Table R16. Abortions by weeks gestation and method of termination, residents: Utah, 2004

Weeks gestation ¹	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Intra- Uterine Instillation	Hyster- ectomy	Other	Un- known
Total	3,379	73	2,325	41	944	0	0	0	1
Under 5	59	0	23	0	36	0	0	0	0
5-6	803	0	390	1	414	0	0	0	0
7-8	1,348	0	912	2	437	0	0	0	0
9-10	566	1	519	2	44	0	0	0	0
11-12	220	2	214	1	3	0	0	0	0
13-14	172	33	138	0	1	0	0	0	0
15-20	192	37	117	34	3	0	0	0	1
21 and over	6	0	3	0	3	0	0	0	0
Unknown	13	0	9	1	3	0	0	0	0

¹The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

The totals do not add because more than one choice is possible for each number in the total.

Table R17. Abortions by age of woman and mention of any complications, residents: Utah, 2004

Age of Woman	Total	Mention of any Complication		
		Yes	No	Unknown
Total	3,379	1	3,375	3
Under 15	10	0	10	0
Total 15 to 19	507	0	506	1
15-17	148	0	148	0
18-19	359	0	358	1
20-24	1,187	0	1,186	1
25-29	755	0	755	0
30-34	495	0	494	1
35-39	284	1	283	0
40-44	98	0	98	0
45 and over	9	0	9	0
Unknown	34	0	34	0

Table R18. Abortions by age of woman and contraceptive history, residents: Utah, 2004

Age of Woman	Total	Contraceptive History in Past Year		
		Yes	No	Unknown
Total	3,379	1,370	1,808	201
Under 15	10	0	10	0
Total 15 to 19	507	192	290	25
15-17	148	40	99	9
18-19	359	152	191	16
20-24	1,187	474	651	62
25-29	755	340	374	41
30-34	495	210	244	41
35-39	284	118	149	17
40-44	98	30	60	8
45 and over	9	1	7	1
Unknown	34	5	23	6

Table R19. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2004

Age of Woman	Total	Omission to use Contraceptive		
		Yes	No	Unknown
Total	3,379	475	1,007	1,897
Under 15	10	0	3	7
Total 15 to 19	507	78	142	287
15-17	148	13	46	89
18-19	359	65	96	198
20-24	1,187	178	338	671
25-29	755	115	241	399
30-34	495	61	150	284
35-39	284	34	83	167
40-44	98	7	33	58
45 and over	9	0	4	5
Unknown	34	2	13	19

Table R20. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2004

Age of Woman	Total	Methods of contraceptive used in past year												
		Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo provera	Other	Un- known	Not Applicable	
Total	3,379	604		9	19	465	36		9	33	95	134	258	2,009
Under 15	10	0	0	0	0	0	0	0	0	0	0	0	0	10
Total 15 to 19	507	77	0	0	75	2	1	0	0	4	17	19	32	315
15-17	148	12	0	0	18	1	0	0	0	4	4	4	12	108
18-19	359	65	0	0	57	1	1	0	4	13	15	15	20	207
20-24	1,187	227	0	3	145	12	3	0	9	40	49	83		713
25-29	755	153	2	4	115	14	2	4	11	24	27	54		415
30-34	495	84	3	6	70	5	1	1	5	8	26	53		285
35-39	284	53	3	4	41	1	2	2	4	6	9	21		166
40-44	98	9	1	1	14	2	0	1	0	0	4	8		68
45 and over	9	0	0	1	0	0	0	0	0	0	0	0	1	8
Unknown	34	1	0	0	5	0	0	1	0	0	0	0	6	29

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2004

Marital Status	Total	Methods of contraceptive used in past year												
		Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo provera	Other	Un- known	Not Applicable	
Total	3,379	604		9	19	465	36		9	33	95	134	258	2,009
Never Married	1,884	353	2	9	277	13	2	4	17	51	68	96		1,112
Married	632	109	0	4	87	10	6	3	12	14	28	52		365
Widowed	20	7	0	0	1	0	0	0	0	0	1	0		11
Divorced	366	91	5	5	61	5	1	2	1	20	23	7		163
Separated	163	29	0	1	31	7	0	0	2	6	11	5		80
Unknown	314	15	2	0	8	1	0	0	1	4	3	98		278

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by number of prior abortions and prior live births and method of contraceptive, residents: Utah, 2004

Births Now Living/ Prior Abortions	Method of Contraceptive												
	Total	Oral (pill)		Foam Jelly		Condom	I U D	Surgical		Depo provera	Other	Un- known	Not Applicable
		Diaphragm						Steril- ization	Rhythm	Coitus			
Total	3,379	604	9	19	465	36	9	9	33	95	134	258	2,009
No Live Births	1,343	241	2	3	207	2	2	3	16	30	43	70	804
One Live Birth	779	158	3	7	105	16	1	3	7	26	38	61	429
More than One Birth	1,176	200	4	9	147	17	6	3	10	39	52	96	707
Births Unknown	81	5	0	0	6	1	0	0	0	0	1	31	69
No Abortions	2,287	401	3	12	320	27	4	5	16	72	83	142	1,377
No Live Births	1,071	176	0	2	163	2	0	1	12	25	31	58	668
One Live Birth	508	99	1	3	66	14	1	2	2	20	26	37	285
More than One Birth	700	125	2	7	90	11	3	2	2	27	26	47	418
Births Unknown	8	1	0	0	1	0	0	0	0	0	0	0	6
One Abortion	712	151	4	3	106	8	5	3	12	15	39	58	375
No Live Births	206	52	1	0	32	0	2	2	3	4	10	10	101
One Live Birth	193	47	2	2	30	2	0	1	3	4	9	19	97
More than One Birth	306	51	1	1	42	6	3	0	6	7	19	28	174
Births Unknown	7	1	0	0	2	0	0	0	0	0	1	1	3
More Than One Abortion	293	47	2	4	36	1	0	1	4	8	11	26	179
No Live Births	64	12	1	1	12	0	0	0	1	1	2	2	34
One Live Birth	75	11	0	2	9	0	0	0	2	2	3	5	45
More than One Birth	150	24	1	1	15	0	0	1	1	5	6	19	97
Births Unknown	4	0	0	0	0	1	0	0	0	0	0	0	3
Abortions Unknown	87	5	0	0	3	0	0	0	1	0	1	32	78
No Live Births	2	1	0	0	0	0	0	0	0	0	0	0	1
One Live Birth	3	1	0	0	0	0	0	0	0	0	0	0	2
More than One Birth	20	0	0	0	0	0	0	0	1	0	1	2	18
Births Unknown	62	3	0	0	3	0	0	0	0	0	0	30	57

The totals do not add because more than one choice is possible for each number in the total.

Table R23. Abortions by education of woman and method of contraceptive, residents: Utah, 2004

Education	Method of Contraceptive												
	Total	Oral (pill)		Foam Jelly		Condom	I U D	Surgical		Depo provera	Other	Un- known	Not Applicable
		Diaphragm						Steril- ization	Rhythm	Coitus			
Total	3,379	604	9	19	465	36	9	9	33	95	134	258	2,009
Under 12 Years	437	53	1	2	59	6	2	0	5	21	14	21	273
High School	1,468	282	1	6	173	12	0	1	11	36	52	85	911
Over 12 Years	1,105	255	6	10	215	15	7	8	14	35	66	45	505
Unknown	369	14	1	1	18	3	0	0	3	3	2	107	320

The totals do not add because more than one choice is possible for each number in the total.

2004 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

Population data are from the Demographic and Economic Analysis section of the Governor's Office of Planning and Budget.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY								CONFIDENTIAL This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.	
1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.				1b. CITY			1c. COUNTY		
2. RESIDENCE		State	County	City, Village	Zip Code	3. PATIENT'S BIRTHDATE	4. MARITAL STATUS		
						Month Year	<input type="checkbox"/> Never Married	<input type="checkbox"/> Married	
							<input type="checkbox"/> Widowed	<input type="checkbox"/> Divorced	
							<input type="checkbox"/> Separated		
5. WAS PATIENT OF HISPANIC ORIGIN?				6. RACE		7. EDUCATION (Specify highest grade completed)			
<input type="checkbox"/> Yes (If yes, Specify) <input type="checkbox"/> No				<input type="checkbox"/> White	<input type="checkbox"/> Black	Elementary/Secondary (0-12) College (13-16 or 17+)			
<input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican				<input type="checkbox"/> American Indian	<input type="checkbox"/> Asian/Pacific Islander				
<input type="checkbox"/> Other (Specify) _____				<input type="checkbox"/> Other (Specify) _____					
8. PREVIOUS PREGNANCIES (Complete each section)								9. CONTRACEPTIVE HISTORY	
LIVE BIRTHS				OTHER PREGNANCIES				Has the patient practiced contraception in the past year?	
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations	Number _____	Number _____	Number _____	Number _____	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
None <input type="checkbox"/>	None <input type="checkbox"/>	None <input type="checkbox"/>	None <input type="checkbox"/>						
11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception?								10. METHODS {if "yes" to no. 9, what method(s) used?}	
<input type="checkbox"/> Yes <input type="checkbox"/> No				<input type="checkbox"/> Unknown				<input type="checkbox"/> Oral (pill) <input type="checkbox"/> Diaphragm <input type="checkbox"/> Foam Jelly <input type="checkbox"/> Condom <input type="checkbox"/> IUD <input type="checkbox"/> Other {Specify} _____	
If "Yes", which method? _____								<input type="checkbox"/> Surgical Sterilization <input type="checkbox"/> Rhythm <input type="checkbox"/> Coitus Interruptus (Withdrawal) <input type="checkbox"/> Depo Provera	
14. DATE OF TERMINATION				15. FIRST DAY OF LAST MENSTRUAL PERIOD		16. CLINICAL ESTIMATE OF GESTATION (Weeks)		17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY	
Month	Day	Year	Month	Day	Year			<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				
18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)				18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY				19. REASON FOR TERMINATION (Check all that apply)	
1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/>	Suction Curettage Sharp Curettage (D & C) Dilation and Evacuation (D & E) .Medical (Nonsurgical), Specify Medication(s) Intra-Uterine Instillation (Saline or Prostaglandin) Hysterotomy/Hysterectomy Other (Specify) _____							1 <input type="checkbox"/> Maternal Life Endangered 2 <input type="checkbox"/> Therapeutic 3 <input type="checkbox"/> Fetal Malformation 4 <input type="checkbox"/> HIV Positive 5 <input type="checkbox"/> Rape 6 <input type="checkbox"/> Incest 7 <input type="checkbox"/> Elective 8 <input type="checkbox"/> Other	
0 <input type="checkbox"/> None 1 <input type="checkbox"/> Hemorrhage	2 <input type="checkbox"/> Perforation of Uterus 3 <input type="checkbox"/> Cervical Laceration	4 <input type="checkbox"/> Infection 5 <input type="checkbox"/> Anesthetic	6 <input type="checkbox"/> Retained Products 7 <input type="checkbox"/> Death					<input type="checkbox"/> Other, Specify: _____	
21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS				1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No	Month Day Year				
If "yes", Name of Hospital: _____				ADMISSION DATE: _____ / _____ / _____					
22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				Subscribed & sworn to before me this _____ day of _____ 19_____ Notary Public _____					
23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.				S E A L					
24. SIGNATURE OF PHYSICIAN									
25. NAME OF PHYSICIAN (Print or Type)				26. DATE					

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

(Figure 1 continued)

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC TO BE COMPLETED ON ALL INDUCED ABORTIONS

- 1) Presence of chorionic villi 1 Yes 2 No 9 Unknown
2) Presence of decidual tissue 1 Yes 2 No 9 Unknown
3) Presence of marked inflammatory reaction 1 Yes 2 No 9 Unknown
4) Presence of embryo or fetal parts 1 Yes 2 No 9 Unknown
5) Gross appearance of embryo 1 Normal
2 Macerated
3 Malformed - Type

- 6) Measurements of embryo Length cms. Weight gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. Measurement of Embryo

Heel to Toe _____ mm.
Biparietal Diameter _____ cm.
Date BPD Measured _____

2. Complications or Post-Operative Morbidity

- 00 None
01 Cardiac Arrest
02 Disseminated Intravascular Coagulation
03 Ectopic Pregnancy
04 Failed Abortion
05 Hemorrhage (less than 500 ml.)
06 Hemorrhage (500 ml. or more)
07 Incomplete abortion (retained tissue)
08 Injury to cervix
09 Pelvic Infection
10 Perforation
11 Postabortal bleeding or spotting
12 Pulmonary embolism or infarction
13 Reaction to Anesthesia - general
14 Reaction to Anesthesia - local
15 Respiratory arrest
16 Other, Specify _____

3. Time of Complication

- 1 During Procedure
2 During Recovery
3 After Discharge

4. Management of Complication

- 1 Hospitalization (immediate)
2 Hospitalization (later by Facility)
3 Hospitalization (later not by Facility)
4 Repeat Evacuation (immediate)
5 Repeat Evacuation (later at Facility)
6 Repeat Evacuation (later not at Facility)

5. Two Week Follow-up

- 1 In Facility, Normal
2 Other _____
3 Other Facility, Normal
4 Other _____
5 Examination Not Done
6 Unable to Contact

6. Future Contraception Planned

- 1 Oral (Pill)
2 IUD
3 Diaphragm
4 Other Contraception
5 None Wanted

7. Reason for Late Abortion

- 1 Woman continued to have menses
2 Afraid to tell parents, spouse, etc.
3 Denial of Pregnancy
4 Planned pregnancy, change of circumstances
5 Suspected or known fetal malformation
6 Late referral
7 Unable to afford cost earlier in pregnancy
8 Other, Specify _____

OFFICE OF VITAL RECORDS AND STATISTICS
UTAH DEPARTMENT OF HEALTH
PO BOX 141012
SALT LAKE CITY UT 84114-1012